

AD/A-002 954

**AN EXTREMAL PRINCIPLE FOR ACCOUNTING
BALANCE OF A RESOURCE VALUE-TRANSFER
ECONOMY: EXISTENCE, UNIQUENESS AND
COMPUTATION**

A. Charnes, et al

Texas University at Austin

Prepared for:

**Office of Naval Research
Carnegie-Mellon University**

January 1974

DISTRIBUTED BY:

NTIS

**National Technical Information Service
U. S. DEPARTMENT OF COMMERCE**

**Best
Available
Copy**

Unclassified
Security Classification

AD/A-002964

DOCUMENT CONTROL DATA - R & D

Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified.

1. ORIGINATING ACTIVITY (Corporate author)

Center for Cybernetic Studies
The University of Texas

20. REPORT SECURITY CLASSIFICATION

Unclassified

21. GROUP

An Extremal Principle for Accounting Balance of a Resource Value-Transfer Economy: Existence, Uniqueness and Computation

3. ABSTRACT (Type of report and, inclusive dates)

4. AUTHOR (First name, middle initial, last name)

A. Charnes
W. Cooper

5. REPORT DATE

January 1974

70. TOT NO OF PAGES

14

71. NO OF REFS

3

6. CONTRACT OR GRANT NO

7. PROJECT NO

N00014-67-A-0126-0008
N00014-67-A-0126-0009

80. ORIGINATOR'S REPORT NUMBER(S)

81. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)

9. DISTRIBUTION STATEMENT

This document has been approved for public release and sale; its distribution is unlimited.

10. SUPPLEMENTARY NOTES

12. SPONSORING MILITARY ACTIVITY

Office of Naval Research (Code 434)
Washington, D.C.

13. ABSTRACT

An extremal principle for accounting balance of a resource value-transfer economy of W. P. Drews is developed. Through it, existence and uniqueness are completely characterized in terms of an associated linear programming problem of pure distribution (transportation) type. An existence theorem of Dantzig's (established by the Brouwer fixed point theorem under economically unrealistic conditions) is an immediate special corollary. The principle is equivalent to unconstrained minimization of a simple strictly convex function and can be computed thereby. Alternately, it is an extended geometric programming problem whose dual is minimization of a strictly convex function subject to the same distribution constraints mentioned above.

Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. Department of Commerce
Springfield, VA 22151

Unclassified

Security Classification

//

14

KEY WORDS

LINK A

LINK B

LINK C

ROLE

WT

ROLE

WT

ROLE

WT

Extremal Principle

Resource Value-Transfer Economy

Convex Programming

Extended geometric programming

Convex distribution problem

DD FORM 1473 (BACK)

1 NOV 66
S/N 0102-014-6000

Unclassified

Security Classification

4-11409

**AN EXTREMAL PRINCIPLE FOR
ACCOUNTING BALANCE OF A RESOURCE
VALUE-TRANSFER ECONOMY: EXISTENCE,
UNIQUENESS AND COMPUTATION**

by

**A. Charnes*
W. W. Cooper****

January 1974


*** University of Texas, Austin**

****Carnegie-Mellon University**

This research was partly supported by ONR Contracts N00014-67-A-0126-0008 and N00014-67-A-0126-0009 with the Center for Cybernetic Studies, The University of Texas and also Contract NONR 769(24)NH047-048 with the Management Science Research Group of Carnegie-Mellon University. Reproduction in whole or in part is permitted for any purpose of the United States Government.

CENTER FOR CYBERNETIC STUDIES

**A. Charnes, Director
Business-Economics Building, 512
The University of Texas
Austin, Texas 78712**



Abstract

An extremal principle for accounting balance of a resource value-transfer economy of W. P. Drews is developed. Through it, existence and uniqueness are completely characterized in terms of an associated linear programming problem of pure distribution (transportation) type. An existence theorem of Dantzig's (established by the Brouwer fixed point theorem under economically questionable conditions) is an immediate special corollary. The principle is equivalent to unconstrained minimization of a simple strictly convex function and can be computed thereby. Alternately, it is an extended geometric programming problem whose dual is minimization of a strictly convex function subject to the same distribution constraints mentioned above.

1. Introduction

Events of recent years in re exhaustible resources led W. P. Drews to formulate a model (which we have not seen) in which an economy is driven by a transfer of agreed monetary values of r resources, e.g. oil, food, labor, etc., into agreed monetary receipts of s resource-owner (=goods-consumer) groups such that (1) total resource valuation equals total monies received, (2) prices of resources and sizes of owner groups adjust to drive consumer goods prices and industrial activity levels (employment levels) so that the value of each resource equals the sum the economy spends for it and the receipts of each owner-group equals the sum of its expenditures. The latter detail (2) we call "accounting balance."

A variant of Drews' model was presented and studied by Dantzig in [1]. He shows only, by making a strong (and economically questionable) assumption on a matrix relating resource use to owner group size and employing the Brouwer fixed point theorem, that relative prices and relative group sizes exist which satisfy the accounting balance. No possibilities of computation are suggested, the question of uniqueness is untouched, and nothing is mentioned concerning the effect of the structure of the matrix or the agreed monetary divisions on the balance.

In the following we completely characterize such an economy by a non-linear extremal principle which may be interpreted as the minimization of an economic potential function. Accounting balance occurs if and only if there exists a point of economic equilibrium (minimum potential). Despite

the non-linearity of the functional minimized, the effects of the key $(r \times s)$ matrix M , the resource valuations v_1, \dots, v_r and the owner receipts $\delta_1, \dots, \delta_s$ on the nature of the minimum (non-existence, existence, uniqueness) are completely characterized in terms of an associated linear programming problem of distribution (transportation) type with supplies v_1, \dots, v_r receipts $\delta_1, \dots, \delta_s$ and with the non-zero entries of M designating the possible "transfer" routes. The extended dual theorem, p. 182,[2], and dual considerations are the key here.

The extremal problem is reduced to the unconstrained minimization of a strictly convex function involving only exponential and linear terms. Computation is easily possible with SUMT, piecewise linearization, or any other standard method. Alternately it can be viewed as an extended geometric programming problem, whose dual is a convex programming problem with pure distribution constraints. The latter formulation seems most advantageous to compute large systems.

2. Notation and Formulation

Let iA, A_j be respectively the i^{th} row, j^{th} column of the matrix A . Let p^T, q be the row, column vector of prices per unit resource, sizes of owner (consumer) groups; y, x the vectors of goods prices, industry activity (employment) levels; R , the $(r \times s)$ matrix of resources per unit industrial activity, C the $(m \times s)$ matrix of goods per unit owner (consumer) group size, N the $(n \times m)$ matrix of industrial activity per unit good (in [1] the inverse of a Leontief type matrix); $M = RNC$. We assume $v_i, \delta_j > 0$ for all i, j . Note that R, N, C are non-negative matrices.

$$(2.1) \quad y^T = p^T R N, \quad x = N C q$$

$$(2.2) \quad \sum_i y_i = \sum_j \delta_j \quad \text{i.e. the total value is transferred}$$

The accounting balance conditions are,

$$(2.3) \quad v_i = p_i (iMq), \quad \delta_j = (p^T M_j) q_j, \quad \text{all } i, j$$

Lemma 1: If $v_i, \delta_j > 0$, for all i, j and (2.3) holds, then $p_i = e^{u_i}, q_j = e^{v_j} > 0$ for all i, j , and M has a positive entry in each row and each column.

Lemma 2: At accounting balance,

$$\sum_i v_i - p^T M q = \sum_j \delta_j$$

Then (3) may be rewritten

$$(2.4) \quad \sum_j M_{ij} e^{u_i + v_j} = v_i, \quad \sum_i M_{ij} e^{u_i + v_j} = \delta_j, \quad \text{all } i, j$$

Let

$$(2.5) \quad \Phi(u, v) \equiv \sum_{i,j} M_{ij} e^{u_i + v_j} - \sum_i v_i u_i - \sum_j \delta_j v_j$$

Then, by the Kuhn-Tucker Theorem, since $\Phi(u, v)$ is convex and analytic in (u, v) ,

Theorem 1: $\Phi(u, v)$ has a minimum at (u, v) if and only if the accounting balance (2.4) holds

The problem of balance may therefore be rendered by the

Extremal Principle:

$$(2.5) \quad \text{minimize } p^T M q - \sum_i v_i \ln p_i - \sum_j \delta_j \ln q_j$$

with $p^T, q > 0$, or equivalently

$$(2.6) \quad \text{minimize } \Phi(u, v) \equiv \sum_{i,j} M_{ij} e^{u_i + v_j} - \sum_i v_i u_i - \sum_j \delta_j v_j$$

without constraints.

Note: (2.5) may be recognized as an extended geometric programming problem.

3. Existence

The necessary condition on M in Lemma 1 is not sufficient even that $\Phi(u, v)$ be bounded below. To characterize this situation, consider the following "transfer" system (of "pure distribution" type in linear programming

jargon):

$$(3.1) \quad \begin{aligned} \sum_{j \in J(i)} x_{ij} &= v_i, \quad i=1, \dots, r \\ \sum_{i \in I(j)} x_{ij} &= b_j, \quad j=1, \dots, s \\ x_{ij} &\geq 0, \end{aligned}$$

where $J(i) \equiv \{j: M_{ij} > 0\}$, $I(j) \equiv \{i: M_{ij} > 0\}$

Theorem 2: $\Phi(u, v)$ is bounded below

if and only if

the transfer system (3.1) has a solution

Proof: If (3.1) has a solution \bar{x}_{ij} , we can rewrite

$$(3.2) \quad \Phi(u, v) = \sum_{i,j} M_{ij} e^{u_i + v_j} - \sum_{i,j} \bar{x}_{ij} (u_i + v_j)$$

and get

$$(3.3) \quad \Phi(u, v) \geq \sum_{(i,j) \in P} \bar{x}_{ij} [1 - \ln(\bar{x}_{ij}/M_{ij})]$$

where $P \equiv \{(i, j): \bar{x}_{ij} > 0\}$

If (3.1) has no solution, we minimize $\sum_{i,j} 0 \cdot x_{ij}$ subject to the transfer conditions. The dual theorem [2] implies that a sequence (u^n, v^n) exists for which $\Phi(u^n, v^n) \rightarrow -\infty$.

Q.E.D.

Let D be the coefficient matrix of the left side of the equations in (3.1). Its maximum possible rank is $r+s-1$. By the "regularization" procedure of Charnes and Cooper [2] all cases can be reduced (also computationally) to this case. We discuss this elsewhere.

Here we note that the existence of a solution to (3.1), while sufficient for an infimum, is not sufficient for existence of a minimum of $\Phi(u, v)$.

Theorem 3: $\Phi(u, v)$ has a minimum (=accounting balance)

if and only if

the transfer system (3.1) has a solution \bar{x}_{ij} whose non-zero values designate a sub-matrix of D of equal rank to D

Proof: Suppose (3.1) has a solution \bar{x}_{ij} whose non-zero components designate a submatrix of rank less than D . Let $w_{ij} = u_i + v_j$ for $\bar{x}_{ij} > 0$. Let $z_{kl} = u_k + v_l$ if $\bar{x}_{kl} > 0$ and $\bar{x}_{kl} = 0$. Then the z_{kl} are independent variables i.e. the $u_k + v_l$ cannot be expressed (linearly) in terms of the w_{ij} .

We can now write

$$(3.4) \quad \Phi(u, v) = \bar{\Phi}(w, z) = \sum_{\bar{x}_{ij} > 0} (M_{ij} e^{w_{ij}} - \bar{x}_{ij} w_{ij}) + \sum_{(k,l) \notin K} M_{kl} e^{z_{kl}}$$

where $K = \{(k, l) : M_{kl} > 0, \bar{x}_{kl} = 0\}$.

Clearly, $\bar{\Phi}(w, \bar{z}) < \bar{\Phi}(w, z)$ whenever $\bar{z} \leq z$ and some $\bar{z}_{kl} < z_{kl}$. Thus

$\Phi(u, v)$ has an infimum and no minimum whenever $K \neq \emptyset$. If $K = \emptyset$, then

$$(3.5) \quad \Phi(u, v) \geq \sum_{\bar{x}_{ij} > 0} (M_{ij} e^{w_{ij}} - \bar{x}_{ij} w_{ij}) \geq \sum_{(i,j) \in \hat{Q}} (M_{ij} e^{w_{ij}} - \hat{x}_{ij} w_{ij}) = \bar{\Phi}(w)$$

where \hat{x}_{ij} satisfies (3.1), $\hat{Q} = \{(i, j) : \hat{x}_{ij} > 0\} \subseteq \{(i, j) : \bar{x}_{ij} > 0\}$ and

\hat{Q} designates linearly independent columns of D , hence independent variables w_{ij} .

But $\bar{\Phi}(w) \rightarrow \infty$ as $|w| \rightarrow \infty$. Since $K = \emptyset$ if and only if the rank of the submatrix of D designated by $\bar{x}_{ij} > 0$ equals that of D , the theorem follows.

Q. E. D.

Dantzig's result is the corollary,

Corollary 1: If $M > 0$, $\Phi(u, v)$ has a minimum.

Corollary 2 If $P \equiv \{(i, j): \bar{x}_{ij} > 0\} = Q \equiv \{(i, j): M_{ij} > 0\}$ and the columns of D designated by P are linearly independent, then the minimum of $\Phi(u, v)$ takes place at $w_{ij} = u_i + v_j = \ln(\bar{x}_{ij}/M_{ij})$, $(i, j) \in P$.

4. Uniqueness

Assuming a minimum exists, if p^T, q is a (price, size) solution so is $\bar{p}^T = \alpha p^T$, $\bar{q} = (\alpha^{-1})q$ for any $\alpha > 0$. Uniqueness is possible at most to relative prices and sizes. However, extending the argument in Theorem 3, we can show there exists a "basic" solution \hat{x}_{ij} of (3.1) so that

$$(3.6) \quad \Phi(u, v) = \sum_{\hat{x}_{ij} > 0} (M_{ij} e^{w_{ij}} - \hat{x}_{ij} w_{ij}) + \sum_{\hat{x}_{ij} = 0} M_{ij} e^{f_{ij}(w)},$$

where $f_{ij}(w)$ is linear in the independent variables w_{ij} . Evidently the right hand is a strictly convex function of the w_{ij} . (Without assuming a minimum, $\Phi(u, v)$ may be written in form (3.6) plus possible additional exponential terms in z_{kl} i. e. as a strictly convex function of w_{ij} and z_{kl} .)

Theorem 4: The minimum of $\Phi(u, v)$ is unique in variables w_{ij} of (3.6).

Theorem 5: If \hat{w}_{ij} minimizes (3.6), then the set of minimizing (\hat{u}, \hat{v}) is

the set of all solutions to

$$(3.7) \quad \begin{aligned} u_i + v_j &= \hat{w}_{ij} & , & \hat{x}_{ij} > 0 \\ u_i + v_j &= f_{ij}(\hat{w}_{ij}) & , & \hat{x}_{ij} = 0 \end{aligned}$$

where the submatrix of D associated with the \hat{x}_{ij} is a basis for (3.1).

Questions of uniqueness and stability of the system to arbitrary but small perturbations of the v_i , δ_j are closely related. Stability of solution to such perturbations implies that the rank of D must be $r+s-1$, e. g.

Theorem 6: If no subsums of the v_i and δ_j are equal, then for a minimum to exist the rank of D must be $r+s-1$. The minimum point is unique up to relative prices and sizes.

Sometimes M may be decomposable i. e. block diagonal on suitable interchanges of rows and of columns. If there are B blocks, the problem splits into B independent problems of the same form. When soluble, each independent problem minimum can be at most unique up to a scale factor for prices (and its reciprocal for sizes). It must be so unique if the block problem is stable under local perturbations of its own v_i, δ_j .

5. Computation

The accounting balance prices and sizes and corresponding consumer goods prices and employment levels may be computed from (2.6) and its variants by any of the standard convex programming methods, e.g. SUMT or piecewise linearization. Alternately, Newton-Raphson schemes can be applied to solve the balance equations directly, now that one knows the theory of their ambient system. A third direction, which may be most convenient for large systems is through solving the geometric programming dual to (2.5).

From [3], page 210 et seq., the extended geometric program

$$(5.1) \quad \text{minimize } p^T M q + \ln[p_1^{-v_1} \dots p_r^{-v_r} q_1^{-\delta_1} \dots q_s^{-\delta_s}] \text{ with } p^T, q > 0.$$

has a dual

$$(5.2) \quad \text{minimize } -v(\delta) = \sum_{(i,j) \in Q} \delta_{ij} [\ln(\delta_{ij}/e) - \ln M_{ij}]$$

subject to (3.1) on the δ_{ij} .

If δ_{ij}^* is an optimal solution, then

$$(5.3) \quad \delta_{ij}^* = M_{ij} p_i^* q_j^*, \quad (i,j) \in Q.$$

Note how (5.3) recovers the result in (3.7).

Since linear programming problems of distribution type may be computed at least 100 times faster than general linear programs, e. g. in a few seconds on existing codes for $r, s \sim 10^2$ (and larger), and since existing codes for distribution problems handle by far the largest linear programs, this mode of solution seems most attractive for large systems.

6. Extensions

The model needs extension in the directions of more explicit connections between employment levels, consumer-group sizes, etc. Multi-period extensions would also be desirable, as would introduction of stochastic (risk or uncertainty) elements. The authors are currently making such extensions.

•

..

REFERENCES

- [1] G. B. Dantzig, "Draws Institutionalized Divvy Economy," Technical Report 75-7, September 1973, Department of Operations Research, Stanford University.
- [2] A. Charnes and W. W. Cooper, Management Models and Industrial Applications of Linear Programming, Vols. 1 and 2, J. Wiley & Sons, 1961.
- [3] R. J. Duffin, E. L. Peterson, and C. Zener, Geometric Programming, J. Wiley and Sons, 1967.